

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	1730	370/230.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:44
S5	474	370/231.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:44
S6	2054	370/235.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:44
S7	98	"370/235.1".ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:44
S8	2440	370/412.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:45
S9	912	370/516.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:45
S10	38469	(LMS (least ADJ means ADJ square))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 08:11
S11	35	S4 and S10	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:46
S12	17	S5 and S10	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:46
S13	49	S6 and S10	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:46
S14	0	S7 and S10	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:46
S15	43	S8 and S10	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:46
S16	29	S9 and S10	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 07:46
S17	8358	(LMS! (least ADJ means ADJ square))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 08:12

## EAST Search History

S18	792	S17 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 08:12
S19	19	("5214687"   "5386495"   "5432778"   "5490288"   "5598431"   "5600632"   "5630210"   "5721754"   "5815634"   "5848384"   "6021385"   "6072809"   "6091447"   "6092040"   "6157830"   "6201960"   "6259677"   "6363116"   "6370120").PN. OR ("7142517").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/04 08:31
S20	68	("4530091"   "4894823"   "5255291"   "5790548"   "6072809"   "6101195"   "6157653").PN. OR ("6259677").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/04 08:38
S21	649	(adaptive ADJ prediction)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 10:09
S22	45	S21 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 10:54
S23	192	talkspurt	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/04/04 10:54


[Search Session History](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Wed, 4 Apr 2007, 11:33:42 AM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

## Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

 

## Recent Search Queries

- |           |   |
|-----------|---|
| <u>#1</u> | (prediction <in> (pdfdata, metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)                                     |
| <u>#2</u> | (adaptive prediction <in> (pdfdata, metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)                            |
| <u>#3</u> | (adaptive prediction <and> talkspurt <in> (pdfdata, metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)            |
| <u>#4</u> | ((adaptive prediction) <and> buffer <in> (pdfdata, metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)             |
| <u>#5</u> | (least means square <in> (pdfdata, metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)                             |
| <u>#6</u> | (least means square <and> talkspurt <in> (pdfdata, metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)             |
| <u>#7</u> | (prediction <and> (least means square <or> lms) <in> (pdfdata, metadata)) <and> (pyr >= 1950 <and> pyr <= 2002) |

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE –

